




Rhodiamine™ HMD - Hexamethylenediamine 100% (Drums)

Technical Data Sheet n°: **261RC018_09**
 Last Update: **25.06.2015**
 Commercial Product Code: 90052688

IDENTIFICATION

CAS N°: 124-09-4
 EINECS N°: 204-679-6
 SYNONYM: Diamino – 1.6 Hexane
 1-6 Hexamethylene Diamine
 EMPIRICAL FORMULA: $\text{NH}_2 - (\text{CH}_2)_6 - \text{NH}_2$
 MOLECULAR WEIGHT: 116.24

MOLECULAR FORMULA:



SPECIFICATIONS

Characteristics (1)	Unit	Limits	Analysis Methods
Water	mg / kg	Max 1500	251 CA 090
Diaminocyclohexane (DCH)	mg / kg	Max 7	252 CA 080
Methylpentamethylenediamine (MPMD)	mg / kg	Max 10	252 CA 080
Aminométhylcyclopentylamine (AMCPA)	mg / kg	Max 36	252 CA 080
Concentration	% mass	Min 99.8	251 CA 068

(1) These measurements appear in the Certificate of Analysis. Our analytical methods are available upon request.

PHYSICAL PROPERTIES

Appearance: Liquid above 42°C

Odour: Ammonia

Temperature characteristics:

- Melting, °C: 39 to 42

- Boiling (under 1013 hPa), °C: 204.5

Specific gravity (at 42°C), kg/dm³: 0.845

Flammability characteristics:

- Flash point (closed cup), °C: 84

- Auto-ignition temperature, °C: 390

Vapour pressure:

- at 60°C, hPa: 4

- at 100°C, hPa: 32

pH (aqueous solutions – 1.11g/100ml): 12.1

Solubility :

- In water (at 20°C), g/l: 770

- In methanol (at 20°C), g/l: 670

- In ether and benzene: Slightly soluble

USES

Hexamethylene diisocyanate (HDI) for the manufacturing of paints

Copolymers

Hot melt glues

Stabilizers for plastics

Rubber industry

Water treatment

PRODUCTION SITE

Saint-Fons (Belle Etoile), FRANCE

Visit our site: www.solvay.com



EMEA

Solvay
190, avenue Thiers
69457 Lyon cedex 06 - FRANCE



NORTH AMERICA

Solvay USA Inc.
8 Cedar brook drive
Cranbury, NJ 08512 - USA



LATIN AMERICA

Rhodia Poliamida e Especialidades Ltda.
Centro Empresarial
Al Maria Coelho Aguiar 215
Bloco B 1° andar
CEP 05804-902 Sao Paulo SP - BRAZIL



ASIA

Solvay
3966 Jin Du Road
Xin Zhuang Industry Zone
Min Hang District
Shanghai 201108 - CHINA

For additional information, **please contact your Sales Representative.**

WARNING:

The information contained in this document is given in good faith based on our current knowledge. It is only an indication and is in no way binding.

This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for a given use.

ANY WARRANTY OF PRODUCT PERFORMANCE, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS EXPRESSLY EXCLUDED.

Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorizations.

Users are requested to check that they are in possession of the latest version of this document, and Solvay is at their disposal to supply any additional information.

GBU POLYAMIDE & INTERMEDIATES: ETOILE PART-DIEU, 190, AVENUE THIERS – 69457 LYON CEDEX 6 – FRANCE – PHONE : +33.4.37.24.88.88

COMPANY NAME: RHODIA OPERATIONS

REGISTERED OFFICE : 25 RUE DE CLICHY - 75009 PARIS CEDEX – FRANCE

Rhodia Operations SAS is a French “Société par actions simplifiée” with the capital of 695 897 850 euros. RCS Paris 622 037 083

VAT intracommunity : 41 622 037 083

PACKAGING & TRANSPORTATION

170 kg in 216.5 litre drums.

STORAGE & HANDLING

The safety data sheet is available upon request.

HEALTH & SAFETY / TRANSPORT REGULATIONS

The safety data sheet is available upon request.

QUALITY & E.H.S. CERTIFICATIONS

The Quality and Safety Health Environment Management Systems in place in our organizations are inspected and certified according to recognized standards.

Our production sites are also ISO 9001 & for some sites ISO 14001, ISO 50001, OSHAS 18001 as well. Certificates are available upon request.

SHELF LIFE

The shelf life of the product is 1 year from the date of production under appropriate conditions of storage.