

PHYSICAL PROPERTIES

Appearance: Liquid above 27°C
Odour: Slight ammonia odour

Temperature characteristics:

- Crystallisation, °C: 27
- Boiling (under 1013 hPa), °C: 127

Apparent density (at 30°C), kg/dm³: 0.884

Flammability characteristics:

- Auto-ignition temperature, °C: 390

Vapour pressure:

- at 40°C, hPa: 32
- at 60°C, hPa: 86

pH (aqueous solutions – 1.11g/100ml): 12.1

Solubility:

- In water (at 20°C), g/l: 855
- In methanol (at 20°C), g/l: 750

USES

Textile Industry: production of Nylon 6.6 Salt (fibres and yarns)

Copolymers

Specialities

Engineering Plastics: production of Nylon 6.6 Salt

PRODUCTION SITES

Saint-Fons (Belle Etoile), FRANCE

PACKAGING & TRANSPORTATION

170 kg in 225 litre drums

STORAGE & HANDLING

The safety data sheet is available upon request.

HEALTH & SAFETY / TRANSPORT REGULATIONS

The safety data sheet is available upon request.

QUALITY & S.H.E. CERTIFICATIONS

The Quality and Safety Health Environment Management Systems in place in our organizations are inspected and certified according to recognized standards. Our production sites are also ISO 9001 & some sites ISO 14001 as well. Certificates are available upon request.

SHELF LIFE

The shelf life of the product is 1 year from the date of production under appropriate conditions of storage.

Visit our site: www.rhodia.com



For additional information, **please contact your Sales Representative.**

WARNING:

The information contained in this document is given in good faith based on our current knowledge. It is only an indication and is in no way binding. This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for a given use. ANY WARRANTY OF PRODUCT PERFORMANCE, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS EXPRESSLY EXCLUDED. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorizations. Users are requested to check that they are in possession of the latest version of this document, and Rhodia is at their disposal to supply any additional information.

GBU POLYAMIDE & INTERMEDIATES: ETOILE PART-DIEU, 190, AVENUE THIERS – 69457 LYON CEDEX 6 – FRANCE – PHONE : +33.4.37.24.88.88

COMPANY NAME: RHODIA OPERATIONS

REGISTERED OFFICE : 40, RUE DE LA HAIE-COQ – 93306 AUBERVILLIERS CEDEX – FRANCE - PHONE : + 33 1 53 56 50 00 – FAX : +33 1 53 56 55 55

Rhodia Operations SAS is a French "Société par actions simplifiée" with the capital of 695 897 850 euros. RCS Bobigny 622 037 083

VAT INTRACOMMUNITY 41 622 037 083