


# Ethylenediamine (EDA)

Ethane-1,2-diamine



Ethylenediamine (EDA) is the ethyleneamine with the lowest molecular weight. It contains two primary amine groups and is a colorless liquid. It is commonly used as an intermediate to produce detergents, chelates, textile auxiliaries, agrochemicals and polyamides.

CAS number  
107-15-3

EINECS/ELINCS No.  
203-468-6

Molecular weight  
60.1

Molecular formula  
C<sub>2</sub>H<sub>8</sub>N<sub>2</sub>

## Specifications

Appearance (MOA 200)	Colorless to light yellow liquid
Assay (MOA 543)	≥ 99.5 wt%
Color (MOA 201)	≤ 15 Hazen
Water (MOA 305)	≤ 0.3 wt%

## Characteristics

Form	Viscous liquid
Color	Colorless
Odor	Ammonical
Flammability, liquids	Flammable liquid and vapor
Water solubility	Completely
Solubility in other solvents	Benzene;Ethanol
pH, 25% solution	12.8
Melting point/freezing point, 1013 hPa	11 °C
Boiling point/boiling range, 1013 hPa	117 °C
Flash point, 1013 hPa, closed cup	38 °C
Ignition temperature	> 300 °C
Vapor pressure, 26.6°C	17.3 °C
Relative vapor density, air = 1.0	2.1
Density, 20°C	895 kg/m <sup>3</sup>
Relative density, 20°C	0.897
Partition coefficient, N-octanol/water, 20°C, log Pow	-1.6
Dynamic viscosity, 25°C	1.265 mPa.s

### Notes:

Methods of Analysis (MOA) are available upon request. In case of dispute, the listed Method of Analysis will be used as reference methods.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

For more information, please visit our website at [www.nouryon.com](http://www.nouryon.com).

The logo for Nouryon, featuring a stylized blue 'N' followed by the word 'ouryon' in a blue sans-serif font.