



SAFETY DATA SHEET

According to (EC) 1907/2006

Version: 5
Version Date: 16/07/2015

Page: 1/ 13

1. IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND OF THE COMPANY UNDERTAKING

1.1 Product identifier

Trade name	Propylene Carbonate
CAS number	108-32-7
EC number	203-572-1
Index number	607-194-00-1
Registration number	01-2119537232-48-xxxx

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Uses advised against	
Applications of the substance	Intermediate, Raw material for industrial application, Polar solvent, Lubricants, Adhesives, Plasticiser

1.3 Details of the supplier of the safety data sheet



Supplier/ Manufacturer: Alliance Chemicals Limited Old Walls, Chapel Lane, Penselwood, BA9 8LY United Kingdom Telephone: +44 (0) 1747841222 Fax: +44 (0) 1747841333 Email: sj@alliancechemicals.com
--

1.4 Emergency telephone number

+44 (0) 1747841222


2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008	 GHS07 Eye irritant: Category 2 H319 Causes serious eye irritation
Classification according to Directive 67/548/EEC or Directive 1999/45/EC	 Xi; irritant R36: irritating to the eyes
Information concerning particular hazards for human and environment	Mainly resorbed via respiratory tract and skin

Classification system: The classification is based on company information and on Regulation (EC) 1272/2008 including its amendments.

2.2 Label elements

Label Elements	
Labelling (Regulation (EC) No 1272/2008;	
Symbol(s)	 GHS07
Signal word	Warning
Hazard statements	H319 Causes serious eye irritation
Precautionary statements	Prevention: P264 Wash with plenty of water and soap thoroughly after handling P280 Wear eye protection/ face protection Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 If eye irritation persists: Get medical advice/ attention

Hazardous components which must be listed on the label: Propylene Carbonate

2.3 Other hazards

Results of PBT and vPvB assessment	
PBT:	Not applicable due to data
vPvB:	Not applicable due to data

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Chemical characterisation: Substances

Substances	
Description	Propylene Carbonate
CAS number:	108-32-7
EC number:	203-572-1
Index number:	607-194-00-1

4. FIRST AID MEASURES

4.1 Description of first aid measures

General Advice:	In case of accident or if you feel unwell seek medical advice immediately Show this safety data sheet to the doctor in attendance
If inhaled:	Remove to fresh air immediately. Seek medical attention
In case of skin contact:	Remove contaminated clothes and shoes. Remove person from source of contamination Immediately flush with water for at least 15 minutes If skin irritation persists call a doctor
In case of eye contact:	Immediately rinse with water for at least 15 minutes holding the eyelids apart. Get medical attention immediately
If swallowed:	Wash mouth out with water and then drink plenty of water Never give anything by mouth to an unconscious person Get medical attention immediately DO NOT induce vomiting!

4.2 Most important symptoms and effects, both acute and delayed

Irritation of eyes and mucous membrane	
After inhalation:	Oedema of the lungs
Information for doctor:	After inhalation oedema of the lungs may occur. Symptoms can also occur several hours after over exposure.

4.3 Indication of any immediate medical and special treatment needed

Symptomatic treatment. If in doubt get medical attention immediately
--

5. FIRE FIGHTING MEASURES**5.1 Extinguishing media**

Suitable extinguishing agents:	Water spray, dry powder, carbon dioxide. Fight larger fires with water spray or alcohol resistant foam
For safety reasons unsuitable extinguishing agents:	High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can be released:	Carbon monoxide (CO) Carbon dioxide (CO ₂)
---	---

5.3 Advice for fire fighters

Protective equipment:	Wear self-contained breathing apparatus and protective suit
Additional information:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and fire extinguishing water must be disposed of in accordance with local regulations. Heat leads to a pressure increase and risk of the packaging rupturing.

6. ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation Wear protective clothing Use respiratory protective device against the effects of fumes/dust/aerosol
--

6.2 Environmental precautions

Do not allow the product to penetrate the ground/soil Do not allow the product to reach any water course/ sewage systems

6.3 Methods for cleaning up/ Methods for containment

Soak up with inert absorbent material (e.g. silica gel, universal binder, sawdust) Keep in suitable closed and labelled containers for disposal
--

6.4 Reference to other sections

Additional Advice:	For personal protection see Section 8 For additional information on health hazards see Section 11 For additional information on safe handling see Section 7 For information on collection and disposal of spillages see Section 13
---------------------------	---

7. HANDLING AND STORAGE**7.1 Precautions for safe handling**

Avoid contact with skin and eyes Avoid inhalation of vapours Wear full protective clothing for prolonged exposure Ensure good ventilation at the workplace Dispose of rinse water in accordance with local and national regulations
--

Information about protection against explosions and fires:



Keep ignition sources away – No smoking

7.2 Conditions for safe storage including any incompatibilities

Requirements for storage areas and containers:	No smoking Do not store near heat sources or expose to high temperatures Keep container tightly closed in a dry and well ventilated place
Information about storage in one common storage facility:	Store away from feedstuffs or foodstuffs Store away from aluminium
Storage class:	10 Combustible liquids

7.3 Specific end uses

No information is available

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters:	Not required
propylene carbonate 108-32-7 DNEL:	<p>Oral DNEL/Cons/LSE 25 mg/kg bw/day (human)</p> <p>Dermal DNEL/Cons/LSE 25 mg/kg bw/day (human)</p> <p>DNEL/In/LSE 50 mg/kg bw/day (human)</p> <p>Inhalative DNEL/Cons/LLE 10/mg/m³ (human)</p> <p>DNEL/Cons/LSE 43.5 mg/m³ (human)</p> <p>DNEL/In/LSE 176mg/m³ (human)</p>
propylene carbonate 108-32-7 PNEC:	<p>PNEC 7400 mg/l (sewage treatment plant)</p> <p>PNEC/aq 0.9 mg/l (fresh water)</p> <p>0.9 mg/l (intermittent release)</p> <p>0.09 mg/l (marine water)</p> <p>PNEC/soil 0.81 mg/kg (-)</p> <p>Since the substance has no potential for bioaccumulation no PNEC oral was derived</p>
<p>Abbreviations</p> <p>In = Industrial LLE = Long term, local effects aq = aqua</p> <p>Prof = Professional LSE = Long term, systemic effects sed = sediment</p> <p>Cons = Consumer SLE = Short term, local effects</p> <p>SSE = Short term, systemic effects</p>	

8.2 Exposure controls

Personal protective equipment	
General protective and hygienic measures:	<p>Handle in accordance with good industrial hygiene and safety practice</p> <p>Avoid contact with eyes</p> <p>When using do not eat, drink or smoke</p> <p>Wash hands before breaks and at the end of the working day</p>
Respiratory protection:	In the case of vapour formation use a respirator with an approved filter. Gas filter for gases/vapours of organic compounds (65°C, e.g. EN 14387 Type A)
Hand protection:	Suitable chemical resistant safety gloves (E 347). E.g. nitrile rubber (0.4mm), chloroprene rubber (0.5mm), butyl rubber (0.7mm)
Penetration time of glove material:	Protective index 6, corresponding > 480 minutes of permeation time according to EN 374. Under practical conditions (33°C – taking into account the body temperature), the maximum wearing time is to be limited to one-third)
Not suitable are gloves made of the following material:	Natural rubber. Fluorocarbon rubber
Eye protection:	Tight fitting safety glasses with side shields (frame goggles). E.g. EN166
Skin and body protection:	Appropriate clothing to prevent skin contact

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Appearance:	Form:	Liquid
	Colour:	Colourless to slight yellow
	Odour:	Fruity
	Odour threshold:	Not determined
Safety data:	pH:	7 @ 200 g/l (20°C)
	Melting point:	-48.8°C (1,013 hPa) literature
	Boiling point:	240°C - 243°C
	Flash point:	116° C
	Ignition temperature:	430°C
	Evaporation rate:	Not determined
	Flammability:	does not ignite
	Lower explosion limit:	1.8 vol.%
	Upper explosion limit:	14.3 vol. %
	Vapour pressure:	0.06 hPa @ 25°C literature
	Density:	1.2047 g/ cm³ (20°C) literature
	Relative density:	1.2024 @ 20°C, 1013 hPa
	Water solubility:	175 g/l (25°C, 1013 hPa)
	Solubility in other solvents:	soluble in organic solvents
	Partition coefficient:	-0.41 n-octanol/ water (log Kow)
	Self ignition:	Not self igniting at room temperature
	Thermal decomposition:	350°C, 240 kJ/ kg Exothermic reaction above the Indicated temperature
	Viscosity:	2.417 – 2.54 mPa.s @ 25°C literature
	Explosive properties:	Based on chemical structure has no explosive properties
	Oxidizing properties:	Not classified as oxidizing
This safety data sheet only contains information relating to safety and does not replace any product information or product specification		

9.2 Other information

No further relevant information is available

10. STABILITY AND REACTIVITY**10.1 Reactivity**

Forms no flammable gases in the presence of water

10.2 Chemical stability

Stable under recommended storage conditions (see Section 7). Stable under normal temperatures and pressures

10.3 Possibility of hazardous reactions

Violent reactions are possible with the below mentioned substances

10.4 Conditions to avoid

Heat, flames and sparks. Avoid contact with strong oxidizers

10.5 Incompatible materials

Materials to avoid:	Acids, alkaline, reducing agents Reacts strongly with oxidizers
----------------------------	--

10.6 Hazardous decomposition products

Thermal decomposition will produce carbon monoxide and/or carbon dioxide and/ or nitrous oxides
--

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

108-32-7 propylene carbonate	
Acute toxicity:	Assessment of acute toxicity; Virtually nontoxic after single ingestion. Virtually nontoxic after single skin contact. Virtually nontoxic by inhalation Literature data; LD50 rat (oral): 5000 mg/ kg LD50 rabbit (dermal): 2000 mg/ kg Inhalation risk test: No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapour-air mixture represents no acute hazard
Irritation:	Assessment of irritating effects; Not irritating to the skin. Eye contact causes irritation Experimental/ calculated data; Skin corrosion/irritation (rabbit): Non irritant Serious eye damage/ irritation (rabbit): Irritant (OECD 405)
Respiratory/ skin sensitization:	Assessment of sensitization; The substance did not cause skin sensitization in humans Experimental/ calculated data; Patch-Test human: Non-sensitizing
Germ cell mutagenicity:	Assessment of mutagenicity; No mutagenic effect was found in various tests with microorganisms and mammalian cell structure. The substance was not mutagenic in a test with mammals
Carcinogenicity:	Assessment of carcinogenicity; Dermal exposure is not expected to be carcinogenic
Reproductive toxicity:	Assessment of reproductive toxicity; Results of animal studies gave no indication of a fertility impairing effect
Developmental toxicity:	Assessment of teratogenicity; No indications of a developmental toxic/ teratogenic effect were seen in animal studies
Specific target organ toxicity (single exposure):	Assessment of STOT single dose; Based on available information there is no specific target organ toxicity to be expected after a single exposure
Repeated dose toxicity & specific target organ toxicity (repeated exposure):	Assessment of repeated dose toxicity; Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance related effects
Aspiration hazard:	No aspiration hazard expected

12. ECOLOGICAL INFORMATION**12.1 Toxicity**

Aquatic toxicity:	LC50: 96 Hrs, fish mg/l ; 5300
	EC50: 48 Hrs, daphnia, mg/l; >500
	IC50: 72 Hrs, algae, mg/l >500

12.2 Persistence and biodegradability

Readily biodegradable (according to OECD criteria)
Biological degradation 94% after 29 days (OECD301E)

12.3 Bioaccumulation potential

This product does not contain any substances expected to be bioaccumulating because of the partition co-efficient (n-octanol/water) of -0.48

12.4 Mobility in soil

Assessment transport between environmental compartments;
The substance will slowly evaporate into the atmosphere from the water surface.
Adsorption to solid phase is not expected

12.5 Results of PBT and vPvB assessment

According to Annex XI of Regulation (EC) No. 1907/2006 concerning REACH;
Not fulfilling PBT criteria...Self classification
According to Annex 11 of Regulation (EC) No. 1907/2006 concerning REACH:
Not fulfilling vPvB criteria...Self classification

12.6 Other adverse effects

No further relevant information is available

Additional Information: Do not release untreated into natural waterways. This product contains no organically bound halogen

13. DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

General recommendation:	Incinerate with provision for removal of effluent gases by scrubber. Dispose of waste and residues in accordance with local authority
Contaminated packaging:	Empty remaining contents Dispose of unused product Do not reuse empty containers Dispose of contaminated packaging in accordance with local and national authority

14. TRANSPORT INFORMATION**14.1 UN number: Not applicable****14.2 UN proper shipping name: Not applicable****14.3 Transport hazard class(es): Not applicable****14.4 Packing group: Not applicable****14.5 Environmental hazards: Not applicable****14.6 Special precautions for user: Not applicable****14.7 Transport in bulk according to Annex 11 of MARPOL73/78 and the IBC Code:
Not applicable**

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture**

UK regulatory references:	Health and Safety at work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I. 2002 No 2677) with amendments. Chemicals (Hazard Information and Packaging) Regulations
Environmental listing:	Control of Pollution Act 1974. Control of Pollution (Special Waste Regulation) Act 1980. rivers (Prevention of Pollution) Act 1961
Statutory instruments:	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I. 2009 No 716). Control of Substances Hazardous to Health
Approved code of practice:	Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply
Guidance notes:	CHIP for everyone HSG (108). Workplace Exposure Limits EH40
EU Legislation:	Dangerous Substances Directive 67/548/EEC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning REACH, establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2002/21/EC including amendments
National Regulations:	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No 1689 Workplace Exposure Limits 2005 (EH40) Health and Safety at Work Act (as amended) 1974 Control of Substances Hazardous to Health Regulations 2002 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning REACH, establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2002/21/EC, including amendments

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out.
--

Version: 5
Version Date: 16/07/2015

16. OTHER INFORMATION

Revision date: 16/07/2015
Version: 5
Replaces version dated: 14/02/2011
Author: Steven Johnston

Full text of H-Statements referred to under Sections 2 and 3	
H319	Causes serious eye irritation
Full text of R-Phrases referred to under Sections 2 and 3	
R36	Irritating to eyes

This information only concerns the above mentioned product as supplied and may not be valid if used with other product(s) or in any process. It remains the user's responsibility to make sure the information is appropriate and complete for his special use of the product. This information is accurate to the best knowledge of Alliance Chemicals Limited. Alliance Chemicals Limited does not accept any liability whatsoever (other than liability as referred to in Article 7 of Alliance Chemicals Limited ' General Conditions of Sale' available on request) arising out of the use of the information or any use, application, adaptation or processing of the product described therein.