



## SAFETY DATA SHEET

According to (EC) 1907/2006 as amended by UK REACH Regulations SI 2019/758

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 1/16

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/ UNDERTAKING

#### 1.1 Product identifier

Trade name	Allamine MEA90
Substance name	Monoethanolamine 90%
Registration number	01-2119486455-28-0004
CAS number	141-43-5
EC number	205-483-5
Product code	540529-85-1000
Synonyms	2-aminoethanol 90%

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Uses advised against	No information
Applications of the substance	Intermediate in the manufacture of cleaning agents and polymer production. Used in sweetening natural gas and coal gas in the manufacture of ethylene amines.

#### 1.3 Details of the supplier of the safety data sheet

Supplier:  
Alliance Chemicals Limited  
Old Walls, Chapel Lane, Penselwood, BA9 8LY  
United Kingdom  
Telephone: +44 (0) 1747841222  
Email: [si@alliancechemicals.com](mailto:si@alliancechemicals.com)

#### 1.4 Emergency telephone number

+44 1865 407333 NCEC 24 hr

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 2/16


**SECTION 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

Classification (regulation (EC) No 1272/2008)	Acute Toxicity, category 4, H332 Acute Toxicity, category 4, H312 Acute Toxicity, category 4, H302 Skin Corrosion, category 1B, H314 Serious Eye Damage, category 1, H318 Skin Sensitisation, category 1B, H317 Specific Target Organ Toxicity – Single Exposure, category 3, H335 Long-term (Chronic) Aquatic Hazard, category 3, H412
Classification (67/548/EEC,1999/45/EC) Hazard category:	Corrosive, C, R34 Harmful, Xn, R20/21/22
Risk advice to man and the environment	Harmful if inhaled. Causes severe burns and eye damage. Harmful in contact with skin and if swallowed. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.

For a full text of H-Statements mentioned in this Section, see Section 16.

**2.2 Label elements**

<b>Label (regulation (EC) 1272/2008:</b>	
Hazard pictograms	
Signal word	<b>Danger</b>
Hazard statements	H302 + H312 + H332 Harmful if swallowed, in contact with skin or inhaled. H314 Causes severe burns and eye damage. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	<b>Prevention:</b> P261 Avoid breathing mist, vapours, spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink, or smoke when using this product. P271 Use only outdoors in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 3/16

Precautionary statements	<b>Response:</b> <b>P301 + P330 + P331 IF SWALLOWED:</b> Rinse mouth. Do NOT induce vomiting. <b>P303 + P361 + P353 IF ON SKIN (or hair):</b> Take off immediately all contaminated clothing. Rinse skin with water/ shower. <b>P305 + P351 + P338 + P310 IF IN EYES:</b> rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTRE/ doctor. <b>P304 + P340 + P310 IF INHALED:</b> Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTRE/ doctor.
	<b>Storage:</b> <b>P403 + P233</b> Store in a well-ventilated place. Keep containers tightly closed. <b>P405</b> Store locked up.
	<b>Disposal:</b> <b>P501</b> Dispose of contents/ container to hazardous or special waste collection point.

2.3 Other hazards

No further data available	
PBT and vPvB assessment:	This substance/ mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous Substance					
Chemical Name	PBT vPvB -OEL	CAS-No. EC-No. REACH No.	Classification (REGULATION (EC) No 1272/2008)	Classification (67/548/EEC)	Conc %
Ethanolamine		141-43-5 205-483-3 01-2119486455-28	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam., 1, H318 Skin Sen., 1B, H317 STOT SE, 3 H335 Aquatic (Chronic) 3, H412	C; R20/R21/22 R34	89.5 - 90.5
Non-Hazardous Substance:					
Water		7732-18-5			9.5 - 10.5

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 4/16

For the full text of H-Statements mentioned in this Section, see Section 16.  
For the full text of R-Phrases mentioned in this Section, see Section 16.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59)  
Status: Not applicable.

<b>SECTION 4. FIRST AID MEASURES</b>
--------------------------------------

4.1 Description of first aid measures

<b>General Advice</b>	<b>Immediately seek medical attention. Move out of dangerous area. Show this safety data sheet to the doctor in attendance.</b>
<b>If inhaled</b>	<b>Remove to fresh air immediately. If not breathing give artificial respiration. Get immediate medical advice/ attention.</b>
<b>In case of skin contact</b>	<b>Remove contaminated clothes and shoes. Immediately flush with water for at least 15 minutes. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Seek medical advice.</b>
<b>In case of eye contact</b>	<b>Immediately rinse with water for at least 15 minutes holding the eyelids apart. Get medical attention. Remove contact lenses. Protect unharmed eye. Small amounts splashed into eye can cause irreversible tissue damage and blindness.</b>
<b>If swallowed</b>	<b>Wash mouth out with water and then drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately. DO NOT induce vomiting! May cause chemical burns in mouth and throat.</b>

4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	<b>The symptoms and effects are expected from the hazards as shown in Section 2. No specific product related symptoms are known.</b>
<b>Risks:</b>	<b>Harmful if swallowed or inhaled. Toxic in contact with skin. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes severe burns.</b>

4.3 Indication of any immediate medical and special treatment needed

<b>Symptomatic treatment. If in doubt get medical attention immediately</b>
---

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 5/16

**SECTION 5. FIRE FIGHTING MEASURES**

**5.1 Extinguishing media**

Suitable extinguishing agents	Carbon dioxide (CO <sub>2</sub> ), water spray, alcohol-resistant foam, dry chemical powder.
For safety reasons unsuitable extinguishing agents:	High volume water jet.

**5.2 Special hazards arising from the substance or mixture**

Special hazards during firefighting/ Specific hazards arising from the chemical	Water spray may be ineffective unless used by experienced firefighters. Do not allow run-off from firefighting to enter drains of water courses.
Combustion products	Carbon oxides. Nitrogen oxides (NO <sub>x</sub> ).

**5.3 Advice for firefighters**

Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit/ eye protection.
Additional information	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire cans should be stored separately in closed containments.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment, and emergency procedures**

<p>Ensure adequate ventilation. Wear protective clothing. Use respiratory protective device against the effects of fumes/dust/aerosol. Remove all incompatible materials and sources of ignition.</p>
---

**6.2 Environmental precautions**

<p>Do not allow the product to penetrate the ground/soil. Do not allow the product to reach any water course/ sewage systems. If the product contaminates water courses/ sewage systems inform the respective authorities.</p>
--

**6.3 Methods for cleaning up/ Methods for containment**

<p>Contain spillage, and then collect with non-combustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations.</p>
--

**6.4 Reference to other sections**

<p>For personal protection see section 8. For disposal considerations see section 13.</p>
---

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 6/16

**SECTION 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

Advise on safe handling:

For personal protection see Section 8.  
Do not breath vapours or spray mist.  
Avoid contact with skin and eyes.  
Persons with a history of skin sensitisation problems, or asthma, allergies, chronic of recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating, or drinking should be prohibited in the application area.  
Provide sufficient air exchange and/ or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion:

Avoid formation of aerosol.  
Keep away from sources of ignition – No Smoking.  
Take measures to prevent build-up of electrostatic charge.  
No sparking tools should be used.

**7.2 Conditions for safe storage including any incompatibilities**

Requirements for storage areas and containers:	No smoking. Storage duration: 12 months Keep contained tightly closed in a dry and well-ventilated place. Reacts with copper, aluminium, zinc and their alloys. Electrical installations/ working materials must comply with the technological safety standards.
Information about storage in one common storage facility:	Store away from feedstuffs or foodstuffs. Avoid incompatible materials and conditions.
Other data:	No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

Intermediate. Refer to section 1.2.

From the data on storage duration in this safety data sheet no agreed statement regarding the warrantee of application properties can be deduced.

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 7/16

**SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION**

**8.1 Control parameters**

**Hazardous ingredients: 2-aminoethanol**

**Components with workplace control parameters**

Components	CAS-No.	Value	Control Parameters	Update	Basis	Form of Exposure
ethanolamine	141-43-5	TWA	1 ppm 2.5 mg/m <sup>3</sup>	2006-02-09	2006/15/EC	
	Further information	:	Indicative skin: Identifies the possibility of significant uptake through the skin.			
		STEL	3 ppm 7.6 mg/m <sup>3</sup>	2006-02-09	2006/15/EC	
	Further information	:	Indicative skin: Identifies the possibility of significant uptake through the skin.			
		TWA	1 ppm 2.5 mg/m <sup>3</sup>	2007-08-01	GB EH40	
	Further information	:	Sk: Can be absorbed through the skin. The assigned substances are those of which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	3 ppm 7.6 mg/m <sup>3</sup>	2007-08-01	GB EH40	
	Further information	:	Sk: Can be absorbed through the skin. The assigned substances are those of which there are concerns that dermal absorption will lead to systemic toxicity.			

STEL: Short term exposure limit.

TWA: Time weighted average.

Derived No Effect Level (DNEL) according to regulation (EC) No. 1907/ 2006

Substance Name	End Use	Exposure Routes	Potential Health Effects	Value
ethanolamine	Workers	Skin contact	Long-term systemic effects.	1 mg/kg bw/day
	Workers	Inhalation	Long-term local effects.	3.3 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects.	0.24 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects.	3.75 mg/kg bw/day
	Consumers	Ingestion	Long-term local effects.	2 mg/m <sup>3</sup>

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance Name	Environmental Compartment	Value
ethanolamine	Fresh water	0.085 mg/l
	Marine water	0.0085 mg/l
	Sediment	0.434 mg/kg dry weight
	Marine sediment	0.0434 mg/kg dry weight
	Soil	0.0367 mg/kg dry weight
	Sewerage treatment plant	100 mg/l
	Intermittent water	0.028 mg/l

## MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 8/16

## 8.2 Exposure controls



<b>Engineering controls</b>	Effective exhaust ventilation system. Ensure that eyewash stations and safety showers are close to the workstation location.
<b>Personal Protective equipment</b>	
<b>Respiratory protection:</b>	In case of vapour formation use a respirator with an approved filter. Wear full face mask supplied with Gas/ vapour filter, type K: (ammonia, green).
<b>Hand protection:</b>	Butyl-rubber gloves.
<b>Eye protection:</b>	Tight fitting safety glasses with side-shields conforming to EN166. Face-shield.
<b>Skin and body protection:</b>	Protective suit and footwear.
<b>Hygiene measures:</b>	Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke. Wash hands before break and end of workday. Wash contaminated clothing before re-use
<b>Environmental exposure controls</b>	
<b>General advice</b>	Prevent product from entering drains and waterways. If contamination occurs inform respective authorities.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	<b>Form:</b> Clear liquid <b>Colour:</b> Colourless <b>Odour:</b> Ammonical <b>Odour threshold:</b> No data available
<b>Safety data:</b>	<b>pH:</b> >12 (100 g/l, 20°C). <b>Melting/freezing point:</b> -13°C <b>Boiling point:</b> 130°C <b>Flash point:</b> Not determined <b>Ignition temperature:</b> Not determined <b>Evaporation rate:</b> Not determined <b>Flammability:</b> Not readily ignited <b>Lower explosion limit:</b> No data available <b>Upper explosion limit:</b> No data available <b>Vapour pressure:</b> 0.5 hPa @ 20°C <b>Relative density:</b> 1.022 g/ml @ 15°C <b>Water solubility:</b> Soluble <b>Partition coefficient:</b> No data available <b>Auto ignition temperature:</b> 425°C <b>Decomposition temperature:</b> Not data available. <b>Viscosity (dynamic):</b> 23.86 mPa.s @ 20°C <b>Explosive properties:</b> Not explosive <b>Oxidizing properties:</b> Not classified as oxidizing
This safety data only contains information relating to safety and does not replace any product information or product specification.	



MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 9/16

9.2 Other information

No further relevant information is available.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under recommended storage conditions (see Section 7). Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

Heating can release hazardous gases. Reacts with oxidizing agents, acids, acid chlorides and halogenated compounds.

10.4 Conditions to avoid

Conditions to avoid:	Heat, flames and sparks. Avoid contact with strong oxidizers. Fire or intense heat may cause violent rupture of package.
----------------------	--

10.5 Incompatible materials

Materials to avoid:	Reacts strongly with concentrated acids and oxidizing agents. Zinc and aluminium. Attacks copper and copper alloys.
---------------------	---

10.6 Hazardous decomposition products

Hazardous decomposition products:	Hazardous decomposition will produce carbon monoxide and/or carbon dioxide. Nitrogen oxides (NOx).
Thermal decomposition:	No data available.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information:

Hazard Summary	
Inhalation:	Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Inhalation of aerosols may cause irritation to mucous membranes.
Skin:	Symptoms may be delayed. Toxic in contact with skin. May cause an allergic skin reaction. Causes severe skin burns.
Eyes:	Causes serious eye damage.
Ingestion:	Harmful if swallowed. Corrosive to the digestive tract. Causes burns.

Toxicological Assessment

Further information: Solvents may degrease the skin.

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 10/16

11.1 Information on toxicological effects

Toxicological data for the components:

<b>Test result ethanolamine</b>	
<b>Acute oral toxicity:</b>	LD50: 1,089 mg/kg bw (rat). Method: OECD test guideline 401. Remarks: Information taken from reference works and the literature.
<b>Acute inhalation toxicity:</b>	LD50: 20 mg/l (rat). Exposure time: 4h. Test atmosphere: vapour. Method: Acute toxicity estimate.
<b>Acute dermal toxicity:</b>	LD50: 2,000 mg/kg. Method: Acute toxicity estimate.
<b>Skin corrosion/ irritation:</b>	Causes severe burns. Species: Rabbit. Method: OECD test guideline 404. Remarks: Information taken from reference works and the literature.
<b>Serious eye damage/ eye irritation.</b>	Causes serious eye damage. Species: Rabbit. Method: OECD test guideline 405. Remarks: Information taken from reference works and the literature.
<b>Respiratory or skin sensitisation:</b>	Not classified based on available information. Species: Guinea Pig. Test type: Maximisation test. Remarks: Information taken from reference works and the literature.
<b>Germ cell mutagenicity</b>	
<b>Genotoxicity in vitro:</b>	Not classified based on available information. Test type: Ames test. Test system: salmonella typhimurium. Metabolic activation: With and without metabolic activation. Result: Negative. Remarks: Information taken from reference works and the literature.
<b>Genotoxicity in vivo:</b>	Not classified based on available information> Species: Mouse (male and female). Cell type: Bone marrow. Application route: Oral. Method: Mutagenicity (micronucleus test). Result: Negative. GLP: Yes. Remarks: Information taken from reference works and the literature.
<b>Carcinogenicity:</b>	Not classified based on available information.
<b>Reproductive toxicity:</b>	Not classified based on available information.
<b>STOT – single exposure:</b>	Assessment of specific target organ toxicity (single exposure): May cause respiratory irritation.
<b>STOT – repeated exposure:</b>	Assessment of specific target organ toxicity (repeated exposure): Not classified due to data which are conclusive although insufficient for classification
<b>Aspiration hazard:</b>	Aspiration hazard assessment: Not classified due to data which are conclusive although insufficient for classification.

**SECTION 12. ECOLOGICAL INFORMATION**

Product Information:

<b>Ecotoxicology Assessment</b>	
<b>Additional ecological information:</b>	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 11/16

12.1 Toxicity

Ecotoxicology Assessment			
Component	Result	Species	Exposure Time
Ethanalamine	LC50: 349 mg/l	Fish (Cypinus carpio)	96 hours. Test type: Semi-static test. Method: Test according to Directive 92/69/EEC. GLP: Yes. Remarks: Information taken from reference works and literature.
	EC50: 27.04 mg/l	Daphnia and other aquatic invertebrates. (Daphia magna (Water flea))	48 hours. Test type: Immobilization. Method: OECD test guideline 202.
	EC50: 2.8 mg/l	Algae (Pseudokirchneriella subcapitata (green algae))	72 hours. Method: OECD test guideline 201. Remarks: Information taken from reference works and literature.
	NOEC: 1.2 mg/l (chronic)	Fish (Oryzias latipes( orange-red killfish))	30 days. Method: OECD test guideline 210. Remarks: information taken from reference works and the literature.
	NOEC: 0.85 mg/l (chronic)	Daphnia and other aquatic invertebrates. (Daphnia magna Water flea))	21 days. Method: OECD test guideline 202. Remarks: Information taken from reference works and the literature.

12.2 Persistence and degradability

Product Information:	
Biodegradability:	Result: Readily biodegradable.
Ethanalamine	
Biodegradability:	Result: Readily biodegradable. Method: OECD test guideline 301E. Biochemical Oxygen Demand (BOD) : 800 mg/g, Incubation time 5 days.

12.3 Bioaccumulative potential

Product Information:	
Bioaccumulation:	Not expected considering the low log Pow value.
Ethanalamine	
Bioaccumulation:	Not expected considering the low log Pow value. Partition coefficient (n-octanol/water): log Pow -2.3 (25°C)

12.4 Mobility in soil

Product Information:	
Mobility:	The substance will not evaporate into the atmosphere from the water surface. Adsorption to the solid soil phase is not expected.
Ethanalamine	
Mobility:	Remarks: Adsorption to the solid soil particles is not expected. Transport to air is not expected.

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 12/16

12.5 Results of PBT and vPvB assessment

<b>Product Information:</b>	
<b>PBT and vPvB assessment:</b>	This substance is not considered to be PBT (Persistent, Bioaccumulative, Toxic). This substance is not considered to be vPvB (very Persistent nor very Bioaccumulative).
<b>Ethanolamine</b>	
<b>PBT and vPvB assessment:</b>	This substance is not considered to be PBT (Persistent, Bioaccumulative, Toxic). This substance is not considered to be vPvB (very Persistent nor very Bioaccumulative).

12.6 Other adverse effects

<b>Product Information:</b>	
<b>Ethanolamine</b>	
<b>Additional ecological information:</b>	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**SECTION 13. DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods


<b>Product:</b>	This product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways, or ditches with chemical or used container. Hazardous waste
<b>Contaminated packaging:</b>	Contaminated packaging must not be treated as household waste. Dispose of in accordance with regional or national regulations.

## MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 13/16

## SECTION 14. TRANSPORT INFORMATION

<b>14.1 UN Number</b>	
ADR:	2491
RID:	2491
IMDG-Code:	2491
IATA-DGR:	2491
<b>14.2 Proper Shipping Name</b>	
ADR/ RID:	ETHANOLAMINE SOLUTION
IMDG:	ETHANOLAMINE SOLUTION
ICAO:	ETHANOLAMINE SOLUTION
ADN:	ETHANOLAMINE SOLUTION
<b>14.3 Transport Hazard Class(es)</b>	
ADR/RID class:	8
ADR/RID classification code:	C7
ADR/RID label:	8
IMDG:	8
ICAO:	8
ADN class:	8
<b>Transport labels</b>	
	
<b>14.4 Packing Group</b>	
ADR/ RID:	
Packing Group:	111
Hazard Identification No:	80
Labels:	8
Classification Code:	C7
Tunnel Restriction Code:	(E)
IMDG:	
Packing Group:	111
Labels:	8
EmS Code:	F-A, S-B
Segregation Group:	18, Alkalis
ICAO:	
Packing Group:	111
ADN:	
Packing Group:	111
<b>14.5 Environmental Hazards</b>	
ADR/ RID:	
Environmentally Hazardous:	No.
IMDG:	
Environmentally Hazardous:	No.
ICAO:	
Marine Pollutant:	No.
ADN:	
Environmentally Hazardous:	No.

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 14/16

14.6 Special precautions for user:

The transport classification(s) provided herein are for informational purposes only. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional and country regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code.

Not applicable for product as supplied.

<b>SECTION 15. REGULATORY INFORMATION</b>
---

15.1 Safety, health, and environmental regulations/ legislation specific for the substance or mixture

<b>Ethanolamine</b>	
<b>Relevant EU provisions transposed through retained EU law.</b>	
<b>UK REACH List of restrictions (Annex 17):</b>	<b>Conditions of restriction for the following entries should be considered: Number on list 3.</b>
<b>UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation:</b>	<b>Not applicable.</b>
<b>The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain:</b>	<b>Not applicable.</b>
<b>Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:</b>	<b>Not applicable.</b>
<b>UK REACH List of substances to authorisation (Annex XIV):</b>	<b>Not applicable.</b>
<b>GB Export and import of hazardous chemicals – Prior Informed Consent (PIC) Regulation:</b>	<b>Not applicable.</b>
<b>Control of Major Accident Hazards Regulations 2015 (COMAH):</b>	<b>Not applicable.</b>
<b>The components of this product are reported in the following inventories:</b>	
<b>DSL:</b>	<b>YES. On the inventory, or in compliance with the inventory on the Canadian DSL.</b>
<b>AIC</b>	<b>YES. On the inventory, or in compliance with the inventory.</b>
<b>NZIoC:</b>	<b>YES. On the inventory, or in compliance with the inventory.</b>
<b>ENCS:</b>	<b>YES. On the inventory, or in compliance with the inventory.</b>
<b>ISHL:</b>	<b>YES. On the inventory, or in compliance with the inventory.</b>
<b>KECI:</b>	<b>YES. On the inventory, or in compliance with the inventory.</b>
<b>PICCS:</b>	<b>YES. On the inventory, or in compliance with the inventory.</b>
<b>IECSC:</b>	<b>YES. On the inventory, or in compliance with the inventory.</b>
<b>TCSI:</b>	<b>YES. On the inventory, or in compliance with the inventory.</b>
<b>TSCA:</b>	<b>YES&gt; All chemical substance either listed on the TSCA.</b>

15.2 Chemical safety assessment

<b>Ethanolamine:</b>	<b>A chemical safety assessment has been carried out for this substance.</b>
----------------------	--

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 15/16

<b>SECTION 16. OTHER INFORMATION</b>
--------------------------------------

<b>Full Text Of H-Statements Referred To Under Sections 2 And 3</b>	
<b>H302:</b>	Harmful if swallowed.
<b>H312:</b>	Harmful in contact with skin.
<b>H314:</b>	Causes severe burns and eye damage.
<b>H317:</b>	May cause an allergic skin reaction.
<b>H318:</b>	Causes serious eye damage.
<b>H332:</b>	Harmful if inhaled.
<b>H335:</b>	May cause respiratory irritation.
<b>H412:</b>	Harmful to aquatic life with long lasting effects.
<b>Full Text Of R-Phrases Referred To Under Sections 2 And 3</b>	
<b>R20/21/22:</b>	Harmful by inhalation, in contact with skin, or if swallowed.
<b>R34:</b>	Causes burns.
<b>Full Text Of Other Abbreviations</b>	
<b>PBT:</b>	Persistent, bioaccumulative and toxic.
<b>vPvB:</b>	Very persistent and very bioaccumulative.
<b>OEL:</b>	Occupational exposure limit.
<b>2006/15/EC:</b>	Europe, Indicative occupational exposure limit values.
<b>GB EH40:</b>	UK. EH40 WEL – Workplace Exposure Limits.
<b>2006/15/EC/ TWA</b>	Limit value – 8 hours.
<b>2006/15/EC/ STEL:</b>	Short term exposure limit.
<b>GB EH40/ TWA:</b>	Long-term exposure limit (8-hour TWA reference period)
<b>GB EH40/ STEL:</b>	Short-term exposure limit (15-minute reference period)

**ADN** – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

**ADR** – Agreement concerning the International Carriage of Dangerous Goods by road.

**AIIC** – Australian inventory of Industrial Chemicals.

**ASTM** – American Society for the Testing of Materials.

**bw** – Body weight.

**CLP** – classification Labelling Packaging Regulation; Regulation EC No 1272/2008.

**CMR** – Carcinogen, Mutagen or Reproductive Toxicant.

**DIN** – Standard of the German Institute for Standardisation.

**DSL** – Domestic Substance List (Canada).

**ECHA** – European Chemicals Agency.

**EC-Number** – European Community number.

**ECx** – Concentration associated with x% response.

**ELx** – Loading rate associated with x% response.

**EmS** – Emergency Schedule.

**ENCS** – Existing and New Chemical substance (Japan).

**ErCx** – Concentration associated with x% growth rate response.

**GHS** – Global Harmonised System.

**GLP** – Good Laboratory Practice.

**IARC** – International Agency for Research on Cancer.

**IATA** – International Air Transport Association.

**IBC** – International Code for the Constructions and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

**IC50** – Half maximal inhibitory concentration.

**ICAO** – International Civil Aviation Organisation.

**IECSC** - Inventory of Existing Chemical Substances in China.

**IMDG** – International Maritime Dangerous Goods.

**IMO** – International Maritime Organisation.

**ISHL** – Industrial Safety and Health Law (Japan).

**ISO** – International Organisation for Standardisation.

**KECI** – Korea Existing Chemicals Inventory.

**LC50** -Lethal Concentration to 50% of a test population.

**LD50** -Lethal Dose to 50% of a test population (Median Lethal dose).

MONOETHANOLAMINE 90% (MEA 90%)

Version: 4  
Version Date: 25/07/2023

Page: 16/16

**MARPOL – International Convention for the Prevention of Pollution from Ships.**

**n.o.s – Not Otherwise Specified.**

**NO(A) EC – No Observed (Adverse) Effect Concentration.**

**NO(A) EL – No Observed (Adverse) Effect Level.**

**NOELR – No Observable Effect Loading Rate.**

**NZIoC – New Zealand Inventory of Chemicals.**

**OECD – Organisation for Economic Co-operation and Development.**

**OPPTS – Office of Chemical Safety and Pollution Prevention.**

**PBT – Persistent, Bioaccumulative and Toxic substance.**

**PICCS – Philippines Inventory of Chemicals and Chemical Substances.**

**(Q)SAR – (Quantitative) Structure Activity Relationship.**

**REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the council concerning the Regulation, Evaluation, Authorisation and Restriction of Chemicals.**

**RID – regulations concerning the International Carriage of Dangerous Goods by Rail.**

**SADT – Self-Accelerating Decomposition Temperature.**

**SDS – Safety Data Sheet.**

**SVHC – Substance of very high concern.**

**TCSI – Taiwan Chemical Substance Inventory.**

**TECI – Thailand Existing Chemicals Inventory.**

**TSCA – Toxic Substances Control Act (United States).**

**UN – United Nations.**

**UNRTDG – United Nations Recommendations on the Transport of Dangerous Goods.**

**vPvB – Very Persistent and Very Bioaccumulative.**

---

Revision Date: 25/07/2023  
Version: 4  
Signature: Steven Johnston

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of this publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be applicable if such a material used in combination with any other materials or in any process, unless otherwise specifically indicated.